




A Novel Approach to Monitoring Dredge Residuals to Inform Cost-Effective Dredge Residuals Management

Ben Starr, P.E. Todd Martin, P.E. Craig Jones, Ph.D.


October 27, 2017

Sediment Megasites






Costly Remedies






Conventional Monitoring Approach






Alternative Approach

Discrete Analytical Chemistry Data




In-Situ Optical Data








Real-Time Monitoring






Real-Time Mass Transport






Precision Mapping of Dredge Plume




Contaminants





Quantification of Contaminant Sources









SPI/PV Image Collection







SPI



Bathymetric Surveys









Long-Term Remedy Performance Monitoring



Mass Transport







Potential Cost Effective Strategy

- Selected Remedy for Portland Harbor
 - Total Capital Construction Cost: \$1,170,548,000
 - Erosion and Residual Control Measures: \$27,166,335 *
 - Periodic Monitoring Costs:\$47,460,000



^{*} Does not include cost for placement of residuals management layer which consists of 12-inch sand layer over entire dredge prism; amended with activated carbon in certain areas



Thank you!

Ben Starr
Senior Consultant
bstarr@integralcorp.com

801.277.6690

Todd Martin

Principal
tmartin@integral-corp.com
801.277.6690

Craig Jones

Principal

cjones@integral-corp.com

831.466.9630

